

ALLOYS

Product List A-Z

Product	Name	Ratio	Delivery Form
A			
AlMoV	Aluminum Molybdenum Vanadium	18:41:41 wt%; other ratios on request	Granules
AlMoVCrTi	Aluminum Molybdenum Vanadium Chromium Titanium	25:25:25:15:10 wt%	Powder
AlNbSiTi	Aluminum Niobium Silicon Titanium	50:25:5:20 wt%	Powder
AlSnZrMo	Aluminum Tin Zirconium Molybdenum	28:12:24:36 wt%	Granules
AlSnZrMoCr	Aluminum Tin Zirconium Molybdenum Chromium	30:12:12:23:23 wt%	Granules
C			
Cr Metal Hearts	Chromium Metal Hearts	> 99.3 %	Granules
CrAl	Chromium Aluminum (for pack aluminizing)	50:50, 70:30 wt%	Granules
F			
FeNb	Ferro Niobium high purity	40:60 wt% Nb	Lumps
H			
Hydrogen storage alloy Hydralloy [®] C	Hydrogen storage alloy Hydralloy[®] C	on request	Granules
M			
MoAl	Molybdenum Aluminum (vacuum grade)	50:55 wt%	Powder
MoAl	Molybdenum Aluminum produced by aluminothermic process	65:35 wt%	Powder
MoAlTi	Molybdenum Aluminum Titanium (vacuum grade)	55:40:5 wt%	Powder
N			
NbAl	Niobium Aluminum vacuum grade	60:40 wt%	Powder
NiNb hp	Nickel Niobium high purity	40:60 wt%	Lumps
S			
SiTi	Silicon Titanium	60:40 wt%	Powder
V			
VAI	Vanadium Aluminum	50:50, 65:35, 85:15 wt%	Granules
VAI	Vanadium Aluminum	65:35 wt%	Lumps
VAI	Vanadium Aluminum fully inspected	50:50, 65:35 wt%	Granules
VAIC	Vanadium Aluminum Carbon	65:34:1 wt%	Granules
VAIFe	Vanadium Aluminum Iron	69:19:12 wt%	Granules
VAIFe	Vanadium Aluminum Iron fully inspected	69:19:12 wt%	Granules

No. 14 | June 2024

Additional materials, ratios, and services are available. Please contact us directly for further information.